SS-3502

1+ years | 2 kids | 28 m²



MATERIAL SPECIFICATION

- Posts made of 89mm diameter galvanized steel round tube, thickness 2.2mm. Powder coating.
- Swing beam made of 89mm diameter galvanized steel round tube, thickness 2.2mm. Powder coating.
- Chains made of stainless steel.

Physical development

rocking

Wisdom Playgrounds International GmbH

Hauptstraße 215
09618 Grosshartmannsdorf
Germany

Mobile number: +49 162 831 92 11
p.koumoth@wisdomplaygroundsint.com


www.wisdomplaygroundsint.com


SS-3502


Product Data

Length	350 cm
Width	249 cm
Total height	260 cm
Age group	1+ years
Number of users	2 kids
Safety zone	28 m²
Free fall height	130 cm
In accordance with norm	1176-1:2017+A1:2023
Availability of spare parts	YES

Data is subject to change without prior notice.







Important Information

- Equipment designed for individuals with disabilities and suitable for public playgrounds;
- Equipment has a certificate from an accredited organization or a declaration of conformity;
- No sharp edges or gaps that could pose a risk of injury to the head, fingers, or other body parts;
- Should be anchored on a flat surface.
- Renders for reference purpose only, actual equipment appearance and color may differ;

5 years Warranty:

- Rope & net constructions
- Graphic print on transparent Polycarbonate panels
- Springs used for the spring riders & seesaws

15 years Warranty:

- Robinia wood items against severe rot.
- High-pressure laminate panels (HPL)
- High density polyethelene (HDPE) panels.
- Aluminum parts
- Highly dynamic steel play structures

10 years Warranty:

- Pinewood items against severe rot.
- Pre-galvanized steel posts with painted top layer
- Painted surface on galvanized or aluminum metal components
- Stainless steel slides
- Structural failure of LLDPE parts as slides, climber, …
- Solid plastic items
- Transparent PC (polycarbonate) items
- Wood-plastic composite decks (WPC)

2 years Warranty:

- Moveable plastic & metal parts
- Sunshades structure
- Painted softwood parts with important coating degradation.
- And all other items not listed here aboved

Wisdom Playgrounds International GmbH


Hauptstraße 215
09618 Grosshartmannsdorf
Germany

Mobile number: +49 162 831 92 11
p.koumoth@wisdomplaygroundsint.com

www.wisdomplaygroundsint.com

Surfaces according to EN 1176-1:2017+A1:2023

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil	––	––	≤100
bark	Particle size from 20 to 80	30	≤200
		40	≤300
woodchips	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested	Tested according to EN 1177		130



Wisdom Playgrounds International GmbH

Hauptstraße 215
09618 Grosshartmannsdorf
Germany

Mobile number: +49 162 831 92 11
p.koumoth@wisdomplaygroundsint.com

www.wisdomplaygroundsint.com